



China Abec 9 Bearings Supplier



6002 Bearing 2D drawings and 3D CAD models

SKF NSK, NTN, Koyo 6002 6004 6200 6202
6204 Auto/Agricultural Machinery Ball Bearing

Bearing No. 6002

Size	15x32x9 mm
Bore Diameter	15 mm
Outer Diameter	32 mm
Width	9 mm
d	15 mm
D	32 mm
B	9 mm
C	9 mm
r min.	0,3 mm
da min.	17 mm
Da max.	30 mm
ra max.	0,3 mm
Weight	0,03 Kg
Basic dynamic load rating (C)	5,6 kN
Basic static load rating (C0)	2,85 kN
(Grease) Lubrication Speed	23000 r/min
(Oil) Lubrication Speed	27000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.033
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



China Abec 9 Bearings Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 32MM Outside Diameter; 9MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6002
Weight / LBS	0.073
Bore	0.591 Inch 15 Millimeter
Outside Diameter	1.26 Inch 32 Millimeter
Outer Race Width	0.354 Inch 9 Millimeter
Bearing No.	6002
r(min)	0.3
Cr	7.00
C0r	2.85
Cu	0.150
f0	13.9
Grease lub.	23000
Oil lub.	27000



China Abec 9 Bearings Supplier

da(min)	17
Da(max)	30
ra(max)	0.3
(Refer.)Mass(kg)	0.030